

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELOSIT PR 303 (A-Komponente)

Date: 08.12.2020

Revision date:

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

VELOSIT PR 303 (A-Komponente)

##### Further trade names / Item numbers

x

UFI: U82E-NSEF-7FCF-T9HD

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Epoxy resin

##### Uses advised against

No information available.

##### 1.3. Details of the supplier of the safety data sheet

Company name: VELOSIT GmbH & Co.KG  
Street: Industriepark 7  
Place: D-32805 Horn-Bad Meinberg  
Telephone: +49 5233/951-7300  
e-mail: [info@velosit.de](mailto:info@velosit.de)  
Internet: [www.velosit.de](http://www.velosit.de)  
Responsible Department: Product safety

1.4. Emergency telephone number: +49 5233/951-7300 (Mo.-Fr.: 8.00-16.00h)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

##### Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2  
Serious eye damage/eye irritation: Eye Irrit. 2  
Respiratory or skin sensitisation: Skin Sens. 1  
Hazardous to the aquatic environment: Aquatic Chronic 2

##### Hazard Statements:

Causes skin irritation.  
Causes serious eye irritation.  
May cause an allergic skin reaction.  
Toxic to aquatic life with long lasting effects.

##### 2.2. Label elements


##### Regulation (EC) No. 1272/2008

##### Hazard components for labelling

Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq$  700)

Signal word: Warning

##### Pictograms:



##### Hazard statements

H315 Causes skin irritation.  
H319 Causes serious eye irritation.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELOSIT PR 303 (A-Komponente)

Date: 08.12.2020

Revision date:

Page 2 of 11

H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P261 Avoid breathing mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of water and soap.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P501 Dispose of waste according to applicable legislation..

#### Special labelling of certain mixtures

EUH205 Contains epoxy constituents. May produce an allergic reaction.  
EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Epoxy resin, Fillers, Additives

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)			< 25 %
	500-033-5		01-2119456619-26	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H315 H319 H317 H411			
38640-62-9	Bis(isopropyl)naphthalene, mixture of isomers			< 5 %
	254-052-6		01-2119565150-48	
	Asp. Tox. 1, Aquatic Chronic 1; H304 H410			
13463-67-7	titanium dioxide			< 3 %
	236-675-5		01-2119489379-17	
	Carc. 2; H351, Note V, W, 10			

Full text of H and EUH statements: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In all cases of doubt, or when symptoms persist, seek medical advice.

##### After inhalation

Provide fresh air.

##### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.  
In case of skin irritation, consult a physician.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELOSIT PR 303 (A-Komponente)

Date: 08.12.2020

Revision date:

Page 3 of 11

#### **After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### **After ingestion**

Rinse mouth thoroughly with water.

#### **4.2. Most important symptoms and effects, both acute and delayed**

May cause an allergic skin reaction.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Water spray jet, Extinguishing powder, Foam, Carbon dioxide, Sand

##### **Unsuitable extinguishing media**

Full water jet

#### **5.2. Special hazards arising from the substance or mixture**

Non-flammable.

#### **5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

No special measures are necessary.

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELOSIT PR 303 (A-Komponente)

Date: 08.12.2020

Revision date:

Page 4 of 11

#### Hints on joint storage

No special measures are necessary.

#### 7.3. Specific end use(s)

Epoxy resin

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7727-43-7	Barium sulphate, inhalable dust	-	10		TWA (8 h)	WEL
7727-43-7	Barium sulphate, respirable dust	-	4		TWA (8 h)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL
13463-67-7	Titanium dioxide, total inhalable	-	10		TWA (8 h)	WEL

##### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7727-43-7	Barium sulfate			
Worker DNEL, long-term		inhalation	systemic	10 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	10 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	systemic	10 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	13000 mg/kg bw/day
38640-62-9	Bis(isopropyl)naphthalene, mixture of isomers			
Worker DNEL, long-term		inhalation	systemic	8.4 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	2.38 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1.48 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	0.85 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0.85 mg/kg bw/day

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELOSIT PR 303 (A-Komponente)

Date: 08.12.2020

Revision date:

Page 5 of 11

#### PNEC values

CAS No	Substance	Value
Environmental compartment		
7727-43-7	Barium sulfate	
Freshwater		0.115 mg/l
Freshwater sediment		600.4 mg/kg
Micro-organisms in sewage treatment plants (STP)		62.2 mg/l
Soil		207.7 mg/kg
38640-62-9	Bis(isopropyl)naphthalene, mixture of isomers	
Freshwater		236 ng/l
Marine water		23.6 ng/l
Freshwater sediment		0.853 mg/kg
Marine sediment		0.0853 mg/kg
Secondary poisoning		25 mg/kg
Micro-organisms in sewage treatment plants (STP)		0.15 mg/l
Soil		0.171 mg/kg

#### Additional advice on limit values

TWA: time-weighted-average

#### 8.2. Exposure controls



#### Protective and hygiene measures

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid contact with eyes and skin.

#### Eye/face protection

Tightly sealed safety glasses.

#### Hand protection

Wear suitable gloves. Recommended material: Butyl caoutchouc (butyl rubber) (Thickness of the glove material: ≥ 0,5 mm, Break through time: ≥ 480 min)

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	according to product specification	
Odour:	characteristic	
pH-Value:		not applicable

#### Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	not determined

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELOSIT PR 303 (A-Komponente)

Revision date: 08.12.2020

Product code: 570

Page 6 of 11

Flash point: > 100 °C

#### Flammability

Solid: not applicable

Gas: not applicable

#### Explosive properties

The product is not explosive.

Lower explosion limits: not determined

Upper explosion limits: not determined

#### Auto-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: not determined

#### Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 1.98 g/cm<sup>3</sup>

Water solubility:  
(at 20 °C) Immiscible

#### Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic:  
(at 20 °C) 4000 mPa·s

Vapour density: not determined

Evaporation rate: not determined

#### 9.2. Other information

Solid content: not determined

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

Unstabilized product can polymerize spontaneously.

#### 10.3. Possibility of hazardous reactions

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

#### 10.4. Conditions to avoid

No information available.

#### 10.5. Incompatible materials

Keep away from: Radical former, Peroxides, Reducing agent.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELOSIT PR 303 (A-Komponente)

Date: 08.12.2020

Revision date:

Page 7 of 11

#### Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)				
	oral	LD50 > 2000 mg/kg	Rat	IUCLID	OECD 420
	dermal	LD50 20000 mg/kg	Rabbit	Supplier	
38640-62-9	Bis(isopropyl)naphthalene, mixture of isomers				
	oral	LD50 > 4000 mg/kg	Rat	IUCLID	OECD 401
	dermal	LD50 > 4500 mg/kg	Rat	IUCLID	OECD 402
	inhalation (4 h) aerosol	LC50 > 5.64 mg/l	Rat	IUCLID	OECD 403
13463-67-7	titanium dioxide				
	oral	LD50 > 2000 mg/kg	Ratte	IUCLID	

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### SECTION 12: Ecological information

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)					
	Acute algae toxicity	EC50 9.4 mg/l	72 h	Scenedesmus capricornutum	IUCLID EC	
	Acute crustacea toxicity	EC50 1.1-2.8 mg/l	48 h	Daphnia magna	IUCLID	
38640-62-9	Bis(isopropyl)naphthalene, mixture of isomers					
	Acute fish toxicity	LC50 2.44 mg/l	96 h	freshwater fish	IUCLID	
	Acute crustacea toxicity	EC50 1.7 mg/l	48 h	Daphnia sp.	IUCLID	
13463-67-7	titanium dioxide					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Pimephales promelas	IUCLID	
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna	IUCLID	OECD 202

#### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
38640-62-9	Bis(isopropyl)naphthalene, mixture of isomers	6.1

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELOSIT PR 303 (A-Komponente)

Date: 08.12.2020

Revision date:

Page 8 of 11

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substance with the CAS-no. 38640-62-9 probably meets the PBT criteria of REACH, Annex XIII.

#### 12.6. Other adverse effects

No information available.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Dispose of waste according to applicable legislation.

##### List of Wastes Code - residues/unused products

070299 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; wastes not otherwise specified

##### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

##### 14.1. UN number:

UN 3082

##### 14.2. UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700))

##### 14.3. Transport hazard class(es):

9

##### 14.4. Packing group:

III

Hazard label:

9



Classification code:

M6

Special Provisions:

274 335 375 601

Limited quantity:

5 L

Excepted quantity:

E1

Transport category:

3

Hazard No:

90

Tunnel restriction code:

-

#### Inland waterways transport (ADN)

##### 14.1. UN number:

UN 3082

##### 14.2. UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700))

##### 14.3. Transport hazard class(es):

9

##### 14.4. Packing group:

III



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELOSIT PR 303 (A-Komponente)

Date: 08.12.2020

Revision date:

Page 9 of 11

Hazard label:

9



Classification code:

M6

Special Provisions:

274 335 375 601

Limited quantity:

5 L

Excepted quantity:

E1

#### Marine transport (IMDG)

**14.1. UN number:**

UN 3082

**14.2. UN proper shipping name:**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700))

**14.3. Transport hazard class(es):**

9

**14.4. Packing group:**

III

Hazard label:

9



Special Provisions:

274, 335, 969

Limited quantity:

5 L

Excepted quantity:

E1

EmS:

F-A, S-F

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:**

UN 3082

**14.2. UN proper shipping name:**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700))

**14.3. Transport hazard class(es):**

9

**14.4. Packing group:**

III

Hazard label:

9



Special Provisions:

A97 A158 A197

Limited quantity Passenger:

30 kg G

Passenger LQ:

Y964

Excepted quantity:

E1

IATA-packing instructions - Passenger:

964

IATA-max. quantity - Passenger:

450 L

IATA-packing instructions - Cargo:

964

IATA-max. quantity - Cargo:

450 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELOSIT PR 303 (A-Komponente)

Date: 08.12.2020

Revision date:

Page 10 of 11

#### **14.6. Special precautions for user**

No information available.

#### **14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

### SECTION 15: Regulatory information

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **EU regulatory information**

Information according to 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

##### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 3 - strongly hazardous to water

#### **15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### **Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELOSIT PR 303 (A-Komponente)

Date: 08.12.2020

Revision date:

Page 11 of 11

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

#### Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH205	Contains epoxy constituents. May produce an allergic reaction.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

#### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	2K-system	C	-	32	19	-	-	-	Resin

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*